

	L #	Hits	Search Text	DBs
1	L1	7316	(power adj (spectral or spectrum) adj density) or psd	USPAT; US-PGPUB
2	L2	236819	train\$3 or retrain\$3	USPAT; US-PGPUB
3	L3	60	1 with 2	USPAT; US-PGPUB
4	L4	26	3 and @ad<20010403	USPAT; US-PGPUB
5	L5	2027	(mask\$3 or notch\$3 or attenuat\$4) with 2	USPAT; US-PGPUB
6	L6	139955	modem or transceiver	USPAT; US-PGPUB
7	L7	13583	\$1DSL or (digital adj subscriber adj line)	USPAT; US-PGPUB
8	L8	7138	DMT or (multi adj tone) or multitone	USPAT; US-PGPUB
9	L9	240	5 and (6 or 7 or 8)	USPAT; US-PGPUB
10	L10	146	9 and @ad<20010403	USPAT; US-PGPUB
11	L11	145	10 not 4	USPAT; US-PGPUB
12	L12	17870	train\$3 near2 (signal or sequence or symbol)	USPAT; US-PGPUB
13	L13	164	(mask\$3 or notch\$3 or attenuat\$4) with 12	USPAT; US-PGPUB
14	L14	129	13 and @ad<20010403	USPAT; US-PGPUB
15	L15	27	14 and (6 or 7 or 8)	USPAT; US-PGPUB
16	L16	2857	12 with (power or level or amplitude or strength)	USPAT; US-PGPUB
17	L17	360	16 and @ad<20010403 and (6 or 7 or 8)	USPAT; US-PGPUB
18	L18	14430	channel near2 response	USPAT; US-PGPUB
19	L19	297	16 and 18	USPAT; US-PGPUB
20	L20	24802	train\$3 near2 (data or signal or sequence or symbol)	USPAT; US-PGPUB
21	L21	24	20 with 18 with (power or level or amplitude or strength)	USPAT; US-PGPUB
22	L22	4	21 and @ad<20010403 and (6 or 7 or 8)	USPAT; US-PGPUB
23	L23	2347	20.ti,ab.	USPAT; US-PGPUB
24	L24	115	attenuat\$4 with 20	USPAT; US-PGPUB
25	L25	8	24.ti,ab. and @ad<20010403	USPAT; US-PGPUB

	L #	Hits	Search Text	DBs
26	L26	370	attenuat\$4 same 20	USPAT; US-PGPUB
27	L27	89114	6 and @ad<20010403	USPAT; US-PGPUB
28	L28	306	26 and @ad<20010403	USPAT; US-PGPUB
29	L29	298	28 not 25	USPAT; US-PGPUB
30	L30	75876	(mask\$3 or notch\$3 or attenuat\$4).ti,ab.	USPAT; US-PGPUB
31	L31	333	1.ti,ab.	USPAT; US-PGPUB
32	L32	30	23 and (30 or 31)	USPAT; US-PGPUB
33	L33	24	32 and @ad<20010403	USPAT; US-PGPUB
34	L34	14888	(6 or 7 or 8).ti,ab.	USPAT; US-PGPUB
35	L35	136	23 and 34	USPAT; US-PGPUB
36	L36	110	35 and @ad<20010403	USPAT; US-PGPUB
37	L37	63072	modem or transceiver	EPO; JPO; DERWENT
38	L38	4483	\$1DSL or (digital adj subscriber adj line)	EPO; JPO; DERWENT
39	L39	1810	DMT or (multi adj tone) or multitone	EPO; JPO; DERWENT
40	L40	10974	train\$3 near2 (data or signal or sequence or symbol)	EPO; JPO; DERWENT
41	L41	2004	(power adj (spectral or spectrum) adj density) or psd	EPO; JPO; DERWENT
42	L42	3	(37 or 38 or 39) and 40 and 41	EPO; JPO; DERWENT
43	L43	1006	40 with (power or level or amplitude or strength)	EPO; JPO; DERWENT
44	L44	81	(37 or 38 or 39) and 43	EPO; JPO; DERWENT
45	L45	70	44 and @pd<20010403	EPO; JPO; DERWENT
46	L46	3	45 and (mask\$4 or notch\$4)	EPO; JPO; DERWENT
47	L47	3105	channel near2 response	EPO; JPO; DERWENT
48	L48	2	45 and 47	EPO; JPO; DERWENT
49	L49	624	(37 or 38 or 39) and 40	EPO; JPO; DERWENT
50	L50	5	49 and (mask\$4 or notch\$4)	EPO; JPO; DERWENT

	L #	Hits	Search Text	DBs
51	L51	0	(49 and 50) not (46 or 48 or 50)	EPO; JPO; DERWENT
52	L52	19	47 and 49	EPO; JPO; DERWENT
53	L53	16	52 not (46 or 48 or 50)	EPO; JPO; DERWENT
54	L54	79	40 with 47	EPO; JPO; DERWENT
55	L55	8	43 and 54	EPO; JPO; DERWENT
56	L56	6	55 not (46 or 48 or 50)	EPO; JPO; DERWENT
57	L57	36	attenuat\$4 with 40	EPO; JPO; DERWENT
58	L58	1	47 and 57	EPO; JPO; DERWENT

Best Available Copy